



Barking and Dagenham

Introduction

The aim of these profiles is to provide information for local government, health organisations, commissioners and other agencies to monitor the impact of tobacco on local communities, and to monitor the services and initiatives that have been put in place to tackle tobacco related problems.


The indicators contained within the web-tool were selected following consultation with stakeholders and a review of the availability of routine data. They are not exhaustive and should be used alongside local intelligence to gain a full picture of the range of tobacco control initiatives and issues in each locality.

The tobacco control profiles are part of a series of products produced by Public Health England that provide local data alongside national comparisons to support local health improvement.

This document is part of the Local Tobacco Control Tool. For further information about each indicator please view the definitions tab within [the tool](#). For further information on tobacco and health please [click here](#).

Contents

Spine charts	
Tobacco Control Profiles	Page 2
Tartan Rugs	
Tobacco Control Profiles	Page 3
Summary Charts	
Tobacco Control Profiles	Page 4



© Crown copyright and database rights 2013 Ordnance Survey 100020290
© OpenStreetMap contributors ODbL

www.tobaccoprofiles.info

For enquiries please contact LondonKIT@phe.gov.uk or call us on 020 7654 8172



Spine Charts

Tobacco Control Profiles	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
1 Smoking attributable mortality	2008 - 10	282.7	210.6	371.8		135.3
2 Smoking attributable deaths from heart disease	2008 - 10	39.2	30.3	58.4		16.1
3 Smoking attributable deaths from stroke	2008 - 10	11.3	9.8	19.2		5.9
4 Deaths from lung cancer	2009 - 11	53.6	37.2	70.3		21.8
5 Deaths from chronic obstructive pulmonary disease	2009 - 11	42.2	25.3	50.1		12.1
6 Lung cancer registrations	2008 - 10	71.2	46.6	86.2		26.2
7 Cost per capita of smoking attributable hospital admissions	2010/11	45.9	36.9	61.7		15.6
8 Smoking attributable hospital admissions	2010/11	1,523	1,420	2,536		808
9 Oral cancer registrations	2008 - 10	9.1	9.5	16.6		5.7
10 Smoking prevalence - routine & manual	2011/12 Q1 - 2011/12 Q4	29.1	30.3	41.0		16.0
11 Smoking Prevalence (IHS)	2011/12 Q1 - 2011/12 Q4	23.0	20.0	29.3		13.2
12 Smoking status at time of delivery	2011/12		13.2	29.7		2.9

How to interpret the spine charts

Where perceived polarity:



- Significantly worse
- Significantly better
- Not significant
- ◆ Regional average
- Significance Not Tested

Tartan Rugs

Tobacco Control Profiles


Indicator	Period	England	London	Barking and Dagenham	Barnet	Bekley	Brent	Bromley	Camden	City of London	Croydon	Ealing	Enfield	Greenwich	Hackney	Hammermith and Fulham	Harrow	Havering	Hillingdon	Hounslow	Kingston	Kensington and Chelsea	Kingston upon Thames	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond upon Thames	Southwark	Sutton	Tower Hamlets	Waltham Forest	Wandsworth	Westminster		
1 Smoking attributable mortality	2008 - 10	210.6	199.1	282.7	146.9	195.8	171.4	168.5	222.7	122.3	185.7	184.3	178.7	274.8	246.3	233.0	200.2	138.1	211.2	191.0	194.8	292.1	135.3	169.3	269.0	260.6	155.0	249.0	155.8	164.7	263.3	200.4	299.9	221.3	212.9	153.4	
2 Smoking attributable deaths from heart disease	2008 - 10	30.3	28.2	39.2	22.1	26.3	28.1	22.4	32.7	21.7	24.2	31.9	24.8	39.0	40.7	28.1	35.9	20.3	29.9	24.7	28.3	42.8	16.1	22.1	34.5	37.0	22.9	40.2	24.6	21.5	28.4	20.9	45.9	34.9	25.6	19.3	
3 Smoking attributable deaths from stroke	2008 - 10	9.8	9.4	11.3	7.1	7.7	10.8	7.4	9.1	3.7	9.0	9.4	10.2	13.0	13.4	7.2	9.8	7.0	8.7	7.5	8.4	11.8	7.3	7.0	11.9	12.9	7.5	16.5	8.6	8.5	11.9	7.1	13.6	12.9	10.0	6.6	
4 Deaths from lung cancer	2009 - 11	37.2	35.6	53.6	28.0	38.7	29.8	29.6	36.9	-	29.4	32.1	33.1	46.6	44.5	40.5	36.8	23.6	37.0	33.7	35.7	52.9	33.6	29.7	45.7	43.2	27.5	41.9	29.3	27.0	46.5	35.6	56.0	36.1	35.1	34.5	
5 Deaths from chronic obstructive pulmonary disease	2009 - 11	25.3	24.5	42.2	16.2	23.9	14.5	18.8	23.3	-	24.0	22.0	19.3	39.6	30.2	32.5	17.5	14.0	24.1	24.8	25.4	30.8	18.8	17.3	34.4	31.1	21.6	35.1	18.4	18.7	42.0	26.5	45.1	27.1	29.8	18.5	
6 Lung cancer registrations	2008 - 10	46.6	44.8	71.2	35.6	48.1	35.5	36.7	47.9	23.8	40.7	35.5	40.6	58.4	54.3	52.0	42.1	26.2	47.8	41.2	41.1	64.7	37.8	35.6	61.1	55.3	40.6	53.0	34.8	33.6	61.2	46.8	68.0	45.5	51.6	46.9	
7 Cost per capita of smoking attributable hospital admissions	2010/11	36.9	37.6	45.9	32.4	39.7	35.6	36.7	44.7	0.0	36.6	37.1	37.9	40.7	44.0	40.8	36.5	26.4	38.9	34.8	37.3	51.1	32.1	31.3	33.1	33.1	39.5	30.5	44.4	31.8	29.7	37.4	35.3	54.6	40.5	32.5	34.3
8 Smoking attributable hospital admissions	2010/11	1,420	1,331	1,523	1,054	1,307	1,238	1,100	1,601	883	1,216	1,317	1,244	1,692	1,606	1,662	893	1,008	1,208	1,260	2,072	1,178	1,110	1,419	1,521	1,117	1,629	1,037	1,042	1,576	1,185	2,036	1,650	1,328	1,384		
9 Oral cancer registrations	2008 - 10	9.5	10.0	9.1	9.7	9.0	10.9	8.7	12.3	-	10.0	9.9	8.7	8.3	10.6	10.9	6.5	7.5	8.3	9.8	13.0	10.9	7.1	15.0	12.6	8.8	12.9	7.8	9.3	9.6	9.0	16.0	9.8	11.4	11.0		
10 Smoking prevalence - routine & manual	2011/12 Q1 - 2011/12 Q4	30.3	27.5	29.1	39.5	38.3	17.7	24.3	29.4	-	34.0	20.9	24.8	21.8	25.6	23.7	19.8	23.8	32.9	27.0	23.5	33.8	24.6	29.5	29.8	25.4	23.5	21.3	16.0	27.4	31.8	34.4	34.5	31.6	26.3	24.5	
11 Smoking Prevalence (IHS)	2011/12 Q1 - 2011/12 Q4	20.0	18.9	23.0	17.5	19.3	18.2	18.1	17.3	-	19.7	20.1	18.5	17.9	25.2	20.7	18.8	14.6	20.0	17.6	15.3	21.8	18.1	18.3	20.1	22.1	16.5	18.8	16.1	19.7	17.5	17.7	21.5	19.4	16.2	21.5	
12 Smoking status at time of delivery	2011/12	13.2	6.0	-	5.2	10.2	3.1	6.1	5.3	-	8.0	3.7	6.0	9.1	6.3	4.2	4.8	4.0	14.8	8.3	4.9	9.1	-	5.6	4.6	7.5	6.6	5.5	5.2	3.2	4.4	6.6	3.9	6.6	4.2	2.9	

Comparison with respect to England value: Better Similar Worse Not compared


Summary Charts

Tobacco Control Profiles


1. Smoking attributable mortality, 2008 - 10




2. Smoking attributable deaths from heart disease, 2008 - 10




3. Smoking attributable deaths from stroke, 2008 - 10



4. Deaths from lung cancer, 2009 - 11



5. Deaths from chronic obstructive pulmonary disease, 2009 - 11




Key


— London value and confidence interval	London LAs: ■ Better	■ Similar	■ Worse
— England value and confidence interval	Other LAs: ■ Better	■ Similar	■ Worse

Tobacco Control Profiles


6. Lung cancer registrations, 2008 - 10




7. Cost per capita of smoking attributable hospital admissions, 2010/11




8. Smoking attributable hospital admissions, 2010/11



9. Oral cancer registrations, 2008 - 10



10. Smoking prevalence - routine & manual, 2011/12 Q1 - 2011/12 Q4




Key

— London value and confidence interval	London LAs: Better	Similar	Worse
— England value and confidence interval	Other LAs: Better	Similar	Worse


Barking and Dagenham

Tobacco Control Profiles

11. Smoking Prevalence (IHS), 2011/12 Q1 - 2011/12 Q4



12. Smoking status at time of delivery , 2011/12



Key

- London value and confidence interval
- England value and confidence interval
- London LAs: ■ Better ■ Similar ■ Worse
- Other LAs: ■ Better ■ Similar ■ Worse